

SAFETY GLOVES



Comfortable



Breathable



Strong grip



Cut-resistant



Flexible



Durable



High abrasion

ABOUT HANVO

As a global leading manufacturer of safety protection products, HANVO provides customers one-stop professional protection solutions for cut-resistance , anti-skidding and anti-puncture. Our products are widely used in automotive manufacturing, oil, electronics, architecture and other fields. In the past 15 years, HANVO has insisted quality as the first belief with sustainable innovation and steady accumulation. Our business has spread over more than 50 countries and regions, leading the development of personal protective equipment industry.



Headquarter & Gloves manufacturing unit



Yarn Manufacturing Unit

>30

Intelligentized
production lines

20 million dozens

After all the production lines
are put into operation, the annual
production capacity will reach
20 million dozens.

>200

Global Strategic Partners

>400

Automatic looms

Certificates:



CE



ISO



BSCI



ANSI



OEKO-TEX100

RESEARCH AND DEVELOPMENT

Hanvo is having its own inhouse Laboratory certified by SATRA and its equipped with all the necessary testing machineries, to guarantee country specific quality standards, as per customer need. Besides this, Hanvo' s R&D team is constantly working on new product developments for different application, to ensure better protection without compromising product's performance.

LEAN MANUFACTURING

During the course of Hanvo' s journey, Lean manufacturing has always been one of the key focus & with heavy invested in manpower, material and production, helped to reduce costs,increased productivity to 20M dozen annually & maintain high levels of quality.At the same time, we have introduced the ERP information management system and achieved efficient seamless production control from order generation to goods delivery with scanning code tracking in the entire process.

①	④
②	⑤
③	

- ① Yarn wrapping
- ② Automatic dipping
- ③ Warehousing logistics
- ④ Glove knitting
- ⑤ ERP management system



RGI Cutting Machine



TABER Abrasion Testing Machine




Agilent GC-MS tester





SATRA Circular Blade Cut Resistance Tester



Electronic Yarn Tensile Tester



Measuring Reel Tester



PRODUCT INDEX

Strive for human safety in innovation

HANVO SAFETY, protecting human safety in creation,
surpassing with innovation and leading by professionalization.

1

HANFEEL Micro Foam Nitrile Series

NJ8162 EN388:2016 4X41B ANSI A2		02
NR384 EN388:2016 4X42C ANSI A3		02
NJ384 EN388:2016 4X42C ANSI A3		02
NJ584Q EN388:2016 4X42C ANSI A3		02
NJ8178Q EN388:2016 4X41C ANSI A3		03
NJ3150Q EN388:2016 4X42D ANSI A4		03
NJ8183 EN388:2016 4X41D ANSI A4		03
NJ8171 EN388:2016 4X42F ANSI A6		04
NJ506 EN388:2016 4131X		04
NR506 EN388:2016 4131X		04
NY506 EN388:2016 4131X		04
NV506 EN388:2016 4131X		05
NP506 EN388:2016 4131X		05

2

MICRO TOUCH SERIES

NU506 EN388:2016 4131X		05
NJ509D EN388:2016 4131X		06
NJ588 EN388:2016 4131X		06
NJ806 EN388:2016 3121X		06
NJE352 EN388:2016 4X44C ANSI A3		08
NJE384 EN388:2016 4X44C ANSI A3		08
NJE384Q EN388:2016 4X44C ANSI A3		08
NJE371 EN388:2016 4X43D ANSI A4		09
NJE3159 EN388:2016 4X42D ANSI A4		09
NJE3180 EN388:2016 4X42E ANSI A5		09
NJE398Q EN388:2016 4X42F ANSI A6		09
NJE506 EN388:2016 4131X		10
NRE506 EN388:2016 4131X		10

3

SMART GRIP High Abrasion Resistance

NJE575 EN388:2016 4121X		10
NJE367 EN388:2016 4142X		10
LN3145 EN388:2016 3X42B ANSI A2		12
LN8165 EN388:2016 3X42B ANSI A2		12
LN352 EN388:2016 3X43C ANSI A3		12
LN384 EN388:2016 3X43C ANSI A3		13
LN062 EN388:2016 3X43C ANSI A3		13
LN584 EN388:2016 3X42C ANSI A3		13
NN062 EN388:2016 4X42C ANSI A3		14
LN3150 EN388:2016 3X42D ANSI A4		14
LN3180 EN388:2016 3X42E ANSI A5		14
LN012 EN388:2016 3142X		15
LN588 EN388:2016 3131X		15

4

SUPER GRIP Sandy Series

LN227 EN388:2016 2142X		15
NN012 EN388:2016 4132X		16
NQ300 EN388:2016 4121X		16
NQ301 EN388:2016 4121X		16
NGX593 EN388:2016 4X42B ANSI A2		18
NXC3160 EN388:2016 4X42B ANSI A2		18
NXC8162 EN388:2016 4X42B ANSI A2		18
NX352 EN388:2016 4X44C ANSI A3		19
NGX352 EN388:2016 4X44C ANSI A3		19
NKX352 EN388:2016 4X44C ANSI A3		19
NX384 EN388:2016 4X44C ANSI A3		19
NKX384 EN388:2016 4X42C ANSI A3		20
LX2153 EN388:2016 2X42C ANSI A3		20
NXC8178Q EN388:2016 4X42C ANSI A3		20
LKX3150 EN388:2016 3X43D ANSI A4		21

NXC3150 EN388:2016 4X42D ANSI A4		21
NXC8183 EN388:2016 4X42D ANSI A4		21
NXC3180Q EN388:2016 4X42E ANSI A5		22
NGX3180 EN388:2016 4X42E ANSI A5		22
NXC8179 EN388:2016 4X42E ANSI A5		22
NXC3158Q EN388:2016 4X42F ANSI A6		22
NXC8171 EN388:2016 4X42F ANSI A6		23
NX506 EN388:2016 4131X		23
NXC506 EN388:2016 4131X		23
NGX506 EN388:2016 4131X		23
NKX506 EN388:2016 4131X		24
NKX301 EN388:2016 4121X		24
NKX806 EN388:2016 4121X		24
NXC806 EN388:2016 4121X		25
LKX301 EN388:2016 3131X		25

5
CHEMICAL
RESISTANCE SERIES

LX012 EN388:2016 2142X		25
LX302 EN388:2016 3131X		25
LX227 EN388:2016 2242X EN511 X2X		26
LX304 EN388:2016 3121X		26
LX680 EN388:2016 2141X EN511 X1X		26
LKX680 EN388:2016 2141X EN511 X1X		27
LKX970 EN388:2016 2242X EN511 X2X		27
NX301 EN388:2016 4131X		27
NX501 EN388:2016 4121X		28
NKX501 EN388:2016 4131X		28
NXC588 EN388:2016 4131X		28
NGX970 EN388:2016 4242X EN511 X2X		28
CKX800 EN388:2016 4121X EN374-1 AJKL		30
CKX8162 EN388:2016 4X41B EN374-1 AJKL ANSI A2		30

PRODUCT INDEX

6

IMPACT SERIES

MC812

EN388:2016
4X42BP A2



32

PE384SG

EN388:2016
4X43DP A4



32

NX371GZTK

EN388:2016
4X43D A4



32

WE043Z

EN388:2016
4X43D A4



33

NX3100W

EN388:2016
4X44DP A4



33

MC818

EN388:2016
4X43DP A4



33

NJ3150SG

EN388:2016
4X42D A4



34

NXC3180W

EN388:2016
4X42E A5



34

MN510

EN388:2016
2132X



34

MN512

EN388:2016
2132XP



35

MN518

EN388:2016
3121X



35

MN516

EN388:2016
3131X



35

7

PE331

EN388:2016
4X42B A2



37

NJE814

EN388:2016
4X42B A2



37

PE877D

EN388:2016
3X42B A2



37

DYNEEMA® PRODUCTS

8

NJ877

EN388:2016
4X42B A2



38

NR877

EN388:2016
4X42B A2



38

NXC814

EN388:2016
4X42B A2



38

PE579D

EN388:2016
4X42C A3



39

NJE379D

EN388:2016
4X42C A3



39

PE391D

EN388:2016
4X43D A4



39

NJE391Q

EN388:2016
4X42D A4



40

NJE391SG

EN388:2016
4X42DP A4



40

NXC392

EN388:2016
4X43D A4



40

NXC391

EN388:2016
4X43D A4



41

NXC3130

EN388:2016
4X43D A4



41

PE350

EN388:2016
4X42B A2



43

ND340

EN388:2016
4X42B A2



43

PE5125

EN388:2016
4X31B A2



43

LA340

EN388:2016
2X42B A2



44

KEVLAR® PRODUCTS

9

LA040

EN388:2016
3X44B A2



44

LN040

EN388:2016
3X43B A2



44

LB040

EN388:2016
3X44C A3



44

NX340

EN388:2016
4X42B A2



45

H340

EN388:2016
1X32B A2



45

NX321

EN388:2016
3X43B A2



45

NJE342

EN388:2016
4X42C A3



45

NXC8106

EN388:2016
4X31C A3



46

NJE8106

EN388:2016
4X31C A3



46

NJE3103

EN388:2016
4X42D A4



46

NXC3105

EN388:2016
4X42E A5



47

LN061

EN388:2016
3X44E A5



47

LN0104

EN388:2016
3X43F A6



47

LA011

EN388:2016
2142X



49

LB011

EN388:2016
2142X



49

LATEX COATED GLOVES

10

LB012

EN388:2016
2142X



49

LA111

EN388:2016
2142X



50

LB227

EN388:2016
2142X



50

LF227

EN388:2016
2142X



50

LB718

EN388:2016
2241X



51

LA312

EN388:2016
3142X



51

LC682

EN388:2016
2131X



51

LA302

EN388:2016
2131X



52

LA304

EN388:2016
2121X



52

LA576

EN388:2016
3131X



52

LC336

EN388:2016
2141X



53

LH500

EN388:2016
2142X



53

LH011

EN388:2016
2142X



53

NE352

EN388:2016
4X44C A3



55

NC302

EN388:2016
4121X



55

NBR COATED GLOVES

11

ND300

EN388:2016
4121X



55

NE302

EN388:2016
3121X



56

NE300

EN388:2016
3121X



56

NE304

EN388:2016
3121X



57

NE325

EN388:2016
3121X



57

NG423A

EN388:2016
4122X



57

NK423A

EN388:2016
4122X



58

NG424A

EN388:2016
4122X



58

NK424A

EN388:2016
4122X



58

NG422

EN388:2016
3111X



58

PE3145

EN388:2016
4X42B A2




60

PE319

GLOVES SIZE GUIDE

Glove Sizing

If gloves are uncomfortable, they won't get worn. Ensure you have the right glove fit by using our handy size guide below.



WHAT IS YOUR GLOVE'S SIZE?

Place your hand on top of the silhouette to see what size glove you will need. Getting the right size is key for working safely and needs to be a comfortable fit.

The sizing system for gloves works based on the size of your palm span as shown below.

X-Small (6)
Small (7)
Medium (8)
Large (9)
X-Large (10)
XX-Large (11)
XXX-Large (12)

Your hand
here


Different manufacturers communicate their sizing in either letters (L, XL, XXL) or numbers (6,7,8,9) so understanding how these sizes relate to each other is key to getting the correct glove for you. See the table below to see how they compare.

Gloves Sizing Comparisons							
Letter Sizes	XS	S	M	L	XL	XXL	XXXL
Number Sizes	6	7	8	9	10	11	12



HANFEEL Micro Foam Nitrile Series

BEST BREATHABILITY COMFORT & FIT



360° Breathability—Micro-foam nitrile coating offers breathability and water repellent, it is one of the most breathable glove in the world.

The advanced formula makes coating completely permeated lining fiber, but not go through. Much thinner than most foam nitrile glove on the market. Also provides excellent abrasion resistance. Strong and soft combination in one glove.



>8,000 cycles not broken



EN388:2016
4X41B
ANSI CUT
A2

NJ8162

18G HPPE/glass fiber/nylon liner with black micro foam nitrile palm coating

- 18G cut-resistant liner is flexible and provides excellent cut-resistance protection.
- Ultra thin micro foam nitrile coating has the good oil-repellency and slip resistance advantage, which bring users a feeling of more comfort and flexibility.
- Black coating is more dirt-resistant and durable.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry



EN388:2016
4X42C
ANSI CUT
A3

NR384

13G HPPE/glass fiber liner with black micro foam nitrile coating with palm dots

- HPPE plus glass fibre liner provides good cut resistance and labor protection.
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Mechanical operation
- Metal & glass handling
- Construction & mine
- Automotive engineering industry



EN388:2016
4X42C
ANSI CUT
A3

NJ384

13G HPPE/glass fiber liner with black micro foam nitrile coating

- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- High performance polyethylene (HPPE) and glass fiber yarn provides excellent cut resistance while maintaining flexibility and dexterity.
- Micro foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Black coating surface hides dirt and grime.
- Micro foam nitrile coating offers absolute breathability.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Automobile and aircraft maintenance
- Construction
- Light industry assembly line
- Plastics injection and moulding
- Agriculture
- Aeronautics
- Sheet metal handling



EN388:2016
4X42C
ANSI CUT
A3

NJ584Q

15G HPPE/glass fiber liner with black micro foam nitrile palm coating, reinforcement at the thumb crotch

- HPPE/glass fiber liner provides higher assurance and labor protection.
- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Micro foam nitrile coating is compatible with light oils and provides a good grip and excellent abrasion resistance.
- Micro foam nitrile coating offers absolute breathability.
- Black coating surface hides dirt and grime.
- Knit Wrist helps prevent dirt and debris from entering the glove.
- Reinforcement at thumb crotch can extend the life of usage.

Applications:

- Glass handling operations
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & Warehousing
- Construction



NJ8178Q

18G cut resistant liner with micro foam nitrile palm coating, reinforcement at the thumb crotch

EN388:2016
4X41C
ANSI CUT
A3

- 18G cut-resistant liner is flexible and provides excellent cut-resistance protection.
- Ultra thin micro foam nitrile coating has the good oil-repellency and slip resistance advantage, which bring users a feeling of more comfort and flexibility.
- Black coating is more dirt-resistant and durable.
- Reinforcement at thumb crotch can extend the life of usage.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry



EN388:2016
4X42D
ANSI CUT
A4

NJ3150Q

13G HPPE/steel/glass fiber liner with black micro foam nitrile palm coating, reinforcement at the thumb crotch

- High performance HPPE/steel/glass fiber liner offers A4 cut resistance while maintaining flexibility and dexterity.
- Micro foam nitrile coating is compatible with light oils and provides a good grip and excellent abrasion resistance.
- Micro foam nitrile coating offers absolute breathability.
- Black coating surface hides dirt and grime.
- Knit Wrist helps prevent dirt and debris from entering the glove.
- Reinforcement at thumb crotch can extend the life of usage.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Mechanical Assembly
- Automobile Industry
- Metal & Glass Manufacture



EN388:2016
4X41D
ANSI CUT
A4

NJ8183

18G HPPE/steel/ polyester liner with black micro foam nitrile palm coating

- 18G high performance HPPE/steel liner offers A4 cut resistance while maintaining flexibility and dexterity.
- Micro foam nitrile coating is compatible with light oils and provides a good grip and excellent abrasion resistance.
- Micro foam nitrile coating offers absolute breathability.
- Black coating surface hides dirt and grime.
- Knit Wrist helps prevent dirt and debris from entering the glove.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry





NJ8171

18G HPPE/polyester
liner with black
micro foam nitrile
palm coating

- 18G high performance HPPE liner offers A6 cut resistance while maintaining flexibility and dexterity.
- Micro foam nitrile coating is compatible with light oils and provides a good grip and excellent abrasion resistance.
- Micro foam nitrile coating offers absolute breathability.
- Black coating surface hides dirt and grime.
- Knit Wrist helps prevent dirt and debris from entering the glove.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry



NR506

15G nylon/spandex
liner with 3/4 micro
foam nitrile coating
with palm dots

- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Micro foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling.
- Black coating surface hides dirt and grime.
- 3/4 coating provides extra protection.
- Micro foam nitrile coating offers absolute breathability.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Aeronautics
- Electronics



NJ506

15G nylon/spandex
liner with micro foam
nitrile palm coating

- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Micro foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Black coating surface hides dirt and grime.
- micro-foam nitrile coating offers absolute breathability.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Transportation
- Agriculture
- Aeronautics
- Plastics injection and moulding
- Electronics



NY506

15G nylon/spandex
liner with micro foam
nitrile coating with
palm dots

- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Micro foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling.
- Black coating surface hides dirt and grime.
- Micro-foam nitrile coating offers absolute breathability.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Warehouse
- Electronics



NV506

15G nylon/spandex liner with 3/4 micro
foam nitrile coating



- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Micro foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Black coating surface hides dirt and grime.
- 3/4 coating provides extra protection.
- Micro foam nitrile coating offers absolute breathability.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Transportation
- Agriculture
- Aeronautics
- Plastics injection and moulding
- Electronics



NP506

15G gray
nylon/spandex liner
with black full micro
foam nitrile coating

- Nylon plus spandex liner provides durable comfort and good fit for hands.
- Micro foam coating is compatible with light oils and provides a good grip and excellent abrasion resistance.
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction & Mine
- Mechanical assembly
- Gardening



NU506

15G gray nylon/spandex
liner with full black micro
foam nitrile coating with
palm dots

- Nylon plus spandex liner provides durable comfort and good fit for hands.
- Micro foam coating is compatible with light oils and provides a good grip and excellent abrasion resistance.
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling.

Applications:

- General maintenance
- Transportation & Warehousing
- Construction & Mine
- Mechanical assembly
- Gardening



NJ509D

15G carbon/nylon/spandex liner with micro foam nitrile palm coating with touchscreen

EN388:2016
4131X

- 15G carbon filament liner offers good anti-static function.
- Nylon plus spandex liner provides durable comfort and good fit for hands.
- Micro foam coating is compatible with light oils and provides a good grip and excellent abrasion resistance.
- Knit Wrist helps prevent dirt and debris from entering the glove.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction & Mine
- Mechanical Assembly
- Gardening



NJ588

15G purple/white high elastic nylon/spandex liner with black micro foam nitrile coating

EN388:2016
4131X

- High elastic nylon plus spandex liner improves comfort and fit for hand.
- Micro foam coating is compatible with light oils and provides a good grip and excellent abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- General maintenance
- Transportation & Warehousing
- Construction
- Mechanical assembly
- Gardening



NJ806

18G blue/Hi Viz yellow high elastic nylon/spandex liner with palm black micro foam nitrile coating

EN388:2016
3121X

- 18G High elastic nylon plus spandex liner improves comfort and flexibility and provides perfect fit.
- Micro foam coating is compatible with light oils and provides a good grip and excellent abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- General maintenance
- Transportation & Warehousing
- Construction
- Mechanical assembly
- Gardening



MICRO
TOUCH SERIES

MICRO TOUCH SERIES



MICRO TOUCH SERIES



NJE352

13G HPPE/glass fiber liner with palm black micro foam nitrile coating



- HPPE/glass fibre liner provides higher assurance and labor protection.
- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Micro foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Micro touch series micro foam gloves provide same quality to Hanfeel series but with lower price.
- Black coating surface hides dirt and grime.
- Micro foam nitrile coating offers absolutely breathability.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



NJE384

13G Hi Viz HPPE/glass fiber with palm black micro foam nitrile coating, double knitted liner



- HPPE/glass fibre liner provides higher assurance and labor protection.
- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Micro foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance, offers absolutely breathability.
- Micro touch series micro foam gloves provide same quality to Hanfeel series but with lower price.
- Black coating surface hides dirt and grime.
- Hi Viz liner more discernible.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



NJE384Q

13G Hi Viz HPPE/glass fibre with black micro foam nitrile palm coating, double knitted liner, nitrile reinforcement on the thumb crotch



- HPPE/glass fibre liner provides higher assurance and labor protection.
- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Micro foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance, offers absolutely breathability.
- Micro touch series micro foam gloves provide same quality to Hanfeel series but with lower price.
- Black coating surface hides dirt and grime.
- Hi Viz liner more discernible.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Nitrile reinforcement at thumb crotch can extend the life of usage.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



NJE371

13G HPPE spun yarn/glass fibre/ polyester with black micro foam nitrile palm coating

- Nitrile micro foam coating is compatible with light oil and provides good grip and excellent abrasion resistance.
- 13G HPPE spun yarn provides more comfort and absorbs sweat.
- Liner color can be customized.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



NJE3180

13G HPPE/steel/ basalt liner with black micro foam nitrile palm coating

- 13G high performance HPPE/steel/basalt liner offers A5 cut resistance while maintaining flexibility and dexterity.
- Ultra thin micro foam nitrile coating has the good oil-repellency and slip resistance advantage, which bring users a feeling of more comfort and flexibility.
- Black coating is more dirt-resistant and durable.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Mechanical Assembly
- Automobile Industry
- Metal & Glass Manufacture



NJE3159

13G HPPE/steel/ glass fiber liner with black micro foam nitrile palm coating

- 13G high performance HPPE/steel/glass fiber liner offers A4 cut resistance while maintaining flexibility and dexterity.
- Ultra thin micro foam nitrile coating has the good oil-repellency and slip resistance advantage, which bring users a feeling of more comfort and flexibility.
- Black coating is more dirt-resistant and durable.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Mechanical Assembly
- Automobile Industry
- Metal & Glass Manufacture



NJE398Q

13G HPPE/steel/glass fibre/Hi-Viz green polyester liner with black micro foam nitrile palm coating, reinforcement at the thumb crotch

- 13G high performance HPPE/steel/glass fibre liner offers A6 cut resistance while maintaining flexibility and dexterity.
- Ultra thin micro foam nitrile coating has the good oil-repellency and slip resistance advantage, which bring users a feeling of more comfort and flexibility.
- Black coating is more dirt-resistant and durable.
- Reinforcement at thumb crotch can extend the life of usage.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Mechanical Assembly
- Automobile Industry
- Metal & Glass Manufacture

MICRO TOUCH SERIES



EN388:2016
4131X

NJE506

15G nylon/spandex
liner with palm
black nitrile micro
foam coating

- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Micro foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Micro touch series micro foam gloves provide same quality to Hanfeel series but with lower price.
- Black coating surface hides dirt and grime.
- Micro foam nitrile coating offers absolutely breathability.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Aeronautics
- Agriculture
- Electronics



EN388:2016
4131X

NRE506

15G nylon/spandex
liner with palm black
nitrile micro foam
coating with palm dots

- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Micro foam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Micro Touch series micro foam gloves provide same quality to Hanfeel series but with lower price.
- Black coating surface hides dirt and grime.
- Micro foam nitrile coating offers absolutely breathability.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Aeronautics
- Electronics



EN388:2016
4121X

NJE575

15G Hi Viz yellow
polyester/spandex
liner with palm
black nitrile micro
foam coating

- Nitrile micro foam coating is compatible with light oil and provides good grip and excellent abrasion resistance.
- 15G polyester/spandex and ergonomic design assure maximum comfort and minimum hand fatigue.
- Liner color can be customized.

Applications:

- General maintenance
- Transportation & warehousing
- Construction & mine
- Mechanical assembly
- Gardening



EN388:2016
4142X

NJE367

13G cotton/spandex
liner with black
nitrile micro foam
palm coated

- Nitrile micro foam coating is compatible with light oil and provides good grip and excellent abrasion resistance.
- Cotton/spandex provides more comfort and absorbs sweat.
- Liner color can be customized.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction & Mine
- Mechanical Assembly
- Gardening




High Abrasion Dipping Surface




Flat Crinkles make liner and latex tightly combined together in order to increase abrasion.

Normal Glove Dipping Surface



Stereo crinkles look nice, but the abrasion resistance is weaker.

BEST GRIP & HIGH ABRASION RESISTANCE



- Premium liner provides durable comfort.
- Long knitting wrist prevents debris.
- The rough textured light weight natural rubber coating provides outstanding grip.
- Big U shape complies with ergonomic design and minimizes the hand fatigue.





EN388:2016
3X42B
ANSI CUT
A2

LN3145

13G HPPE/glass fibre liner with high abrasion crinkle latex palm coating

- 13G HPPE plus glass fibre provides cut resistance and increase hand protection.
- High abrasion-resistant latex coating provides protection against cut, wear and puncture, and offers excellent grip.
- Ergonomic design minimizes hand fatigue and improves comfort.

Applications:

- General Maintenance
- Wood Working
- Transportation & Warehousing
- Glass Handling Operation
- Construction



EN388:2016
3X42B
ANSI CUT
A2

LN8165

18G HPPE/glass fibre/Hi Viz yellow polyester liner with high abrasion crinkle latex palm coating

- 18G HPPE plus glass fibre provides cut resistance and increase hand protection.
- High abrasion-resistant latex coating provides protection against cut, wear and puncture, and offers excellent grip.
- Ergonomic design minimizes hand fatigue and improves comfort.

Applications:

- General Maintenance
- Wood Working
- Transportation & Warehousing
- Glass Handling Operation
- Construction



LN352

13G gray/white HPPE/glass fiber with smart grip latex coating

EN388:2016
3X43C
ANSI CUT
A3

- HPPE/glass fibre liner provides higher cut resistance and increase hand protection.
- Polycotton yarn is a economic and slightly cold-resistant product but more soft.Ergonomic design(especially in thumb) brings a maximum comfort and minimum hands fatigue.

Applications:

- General maintenance
- Wood working
- Transportation & warehousing
- Glass handling operation
- Construction



LN384

13G Hi-viz yellow HPPE/glass fiber liner with smart grip latex coating

EN388:2016
3X43C
ANSI CUT
A3

- HPPE/glass fiber liner provides higher assurance and labor protection.
- The liner and coating color can be customized.
- Seamless knit construction protects hands with comfort and dexterity.
- Special latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Glass handling operations
- Sharp small parts handling
- Sanitation
- Waste handling and recycling
- General maintenance
- Transportation & warehousing
- Wood working
- Construction



LN062

10G HPPE/steel/Hi Viz green polyester with palm latex crinkle coating

EN388:2016
3X43C
ANSI CUT
A3

- HPPE/steel liner provides higher cut resistance and increase hand protection.
- Rough nitrile coating provides excellent grip and oil resistance.
- Ergonomic design(especially in thumb) brings a maximum comfort and minimum hands fatigue.

Applications:

- General Maintenance
- Wood Working
- Transportation & Warehousing
- Glass Handling Operation
- Construction



LN584

15G HPPE/glass fibre/Hi Viz green polyester liner with high abrasion crinkle latex palm coating

EN388:2016
3X42C
ANSI CUT
A3

- 15G HPPE plus glass fibre provides high cut resistance and increase hand protection.
- High abrasion-resistant latex coating provides protection against cut, wear and puncture, and offers excellent grip.
- Ergonomic design minimizes hand fatigue and improves comfort.

Applications:

- General Maintenance
- Wood Working
- Transportation & Warehousing
- Glass Handling Operation
- Construction



NN062

10G HPPE/steel/Hi Viz yellow polyester liner with crinkle nitrile palm coating

EN388:2016



4X42C



- 10G HPPE plus steel liner provides cut resistance and increase hand protection.
- Crinkle nitrile coating provides protection against cut, wear and puncture, and offers excellent grip.
- Ergonomic design minimizes hand fatigue and improves comfort.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Wood Working
- Glass Handling OperationConstruction



LN3150

13G HPPE/steel/glass fibre/polyester liner with high abrasion crinkle latex palm coating

EN388:2016



3X42D



- 13G HPPE/steel plus glass fibre provides high cut resistance and increase hand protection.
- High abrasion-resistant latex coating provides protection against cut, wear and puncture, and offers excellent grip.
- Ergonomic design minimizes hand fatigue and improves comfort.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Wood Working
- Glass Handling Operation



LN3180

13G HPPE/steel/basalt liner with high abrasion crinkle latex palm coating

EN388:2016



3X42E



- 13G HPPE/steel plus basalt liner provides high cut resistance and increase hand protection.
- High abrasion-resistant latex coating provides protection against cut, wear and puncture, and offers excellent grip.
- Ergonomic design minimizes hand fatigue and improves comfort.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Wood Working
- Glass Handling Operation



LN012

10G polycotton liner with Smart Grip latex coating

EN388:2016



3142X

- Seamless knit construction protects hands with comfort and dexterity.
- Polycotton yarn is a economic and slightly cold-resistant product but more soft.
- Special latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Waste handling and recycling



EN388:2016



3131X

LN588

15G red/white high elastic nylo/spandex with smart grip latex coating

- 15G high elastic nylon plus spandex liner provides durable comfort and flexibility.
- Polycotton yarn is a economic and slightly cold-resistant product but more soft.
- Ergonomic design(especially in thumb) brings a maximum comfort and minimum hands fatigue.

Applications:

- General maintenance
- Transportation & warehousing
- Construction
- Mechanical assembly
- Gardening



EN388:2016



2142X

LN227

10G acrylic terry liner with Smart Grip latex coating

- Seamless knit construction protects hands with comfort and dexterity.
- Acrylic loop yarn offers cold-resistant but more soft.
- Special latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Waste handling and recycling



NN012

10G polycotton
liner with
Smart Grip
nitrile coating

- Seamless knit construction protects hands with comfort and dexterity.
- Polycotton yarn is a economic and slightly cold-resistant product but more soft.
- Special nitrile crinkle coated palm and fingertips provides superior grip in dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- Transportation
- General maintenance
- Wood working
- Waste handling and recycling




NQ300

13G soft nylon
liner with Smart
Grip nitrile coating

- Seamless knit nylon shell offers increased comfort, finger dexterity and breathability.
- Special nitrile technology coated palm and fingertips provides superior grip in dry conditions and offers superior abrasion resistance.
- More soft than standard nitrile.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Aeronautics
- Electronics



NQ301

13G colorful nylon with super soft nitrile smooth palm coating



- Seamless knit nylon shell offers increased comfort, finger dexterity and breathability.
- Special nitrile technology coated palm and fingertips provides superior grip in dry conditions and offers superior abrasion resistance.
- More soft than standard nitrile.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.


Applications:

- General maintenance
- Transportation & warehousing
- Precision work
- Mechanical assembly
- Gardening




SUPER GRIP

Sandy Series



BEST OIL RESISTANCE & GOOD
PERFORMANCE FOR
SLIPPERY-GRIP APPLICATION

SANDY FINISH SURFACE



Rough sandy finish increases coefficient of friction in order to reduce the force during the work.



- Double dipping offer more protection to oil penetration and keep hands clean for oily material handling.
- Double dippings promise its performance under dry and wet conditions.



NGX593

15G polyester/glass fiber with 3/4/palm double nitrile sandy coating



- 3/4 nitrile sandy double coating provides a superior grip in dry, wet and oily conditions.
- Seamless knit polyester/glass shell offers increased comfort and breathability, higher assurance and labor protection.
- The liner color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Excellent resistance to liquid permeation.
- Oil does not penetrate the glove like foam nitrile styles.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



NXC3160

13G HPPE/glass fibre/polyester liner with black foam sandy nitrile palm coating

- 13G cut-resistant liner is flexible and provides excellent cut-resistance protection.
- The latest foam sandy nitrile coating offers good oil-repellency and slip resistance.
- Black coating is more dirt-resistant and durable.
- Knit Wrist helps prevent dirt and debris from entering the glove.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Mechanical Assembly
- Automobile Industry
- Metal & Glass Manufacture



NXC8162

18G HPPE/glass fiber/nylon liner with black foam sandy nitrile palm coating

- 18G cut-resistant liner is flexible and provides excellent cut-resistance protection.
- The latest foam sandy nitrile coating offers good oil-repellency and slip resistance.
- Black coating is more dirt-resistant and durable.
- Knit Wrist helps prevent dirt and debris from entering the glove.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry



NX352

13G Salt&Pepper cut-resistant liner with sandy nitrile coating

- Nitrile sandy coating provides a superior grip in dry, wet and oily conditions, single coating more soft.
- Seamless knit HPPE and glass fiber shell offers increased comfort, finger dexterity and breathability, high assurance and labor protection.
- The liner color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.
- Excellent resistance to liquid permeation.
- Oil does not penetrate the glove like foam nitrile styles.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & Warehousing
- Construction



NKX352

13G HPPE/glass fiber liner double dipped sandy nitrile coating

- Full nitrile sandy double coating provides a superior grip in dry, wet and oily conditions.
- Seamless knit HPPE and glass fiber shell offers increased comfort, finger dexterity and breathability, high assurance and labor protection.
- The liner color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Excellent resistance to liquid permeation.
- Oil does not penetrate the glove like foam nitrile styles.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Piscatorial
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



NGX352

13G HPPE/glass with 3/4 blue smooth nitrile coating plus black sandy nitrile coating on palm

- 3/4 nitrile sandy finish coating offers high oil resistance and good grip in dry, wet and oily conditions.
- 13G HPPE/glass fibre offers high cut resistance and labor protection.
- The liner and coating color can be customized.

Applications:

- Automotive
- Light industry assembly line
- Glass handling
- General maintenance
- Transportation
- Sheet metal handling




NX384

13G cut-resistant liner with sandy nitrile coating

- Nitrile sandy coating provides a superior grip in dry, wet and oily conditions, single coating more soft.
- Seamless knit HPPE shell offers increased comfort, finger dexterity and breathability, high assurance and labor protection.
- The liner color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.
- Excellent resistance to liquid permeation.
- Oil does not penetrate the glove like foam nitrile styles.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction





NKX384

13G HPPE/glass fibre/polyester liner with blue smooth nitrile fully coating plus black sandy nitrile coating with fully thumb coating



- Full sandy nitrile double coating provides a superior grip in dry, wet and oily conditions.
- Special seamless knit HPPE and glass fiber liner offers increased comfort, finger dexterity and breathability, high assurance and labor protection
- Knit Wrist helps prevent dirt and debris from entering the glove
- Thumb fully coating allows greater resistance to dirt and abrasion.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & Warehousing
- Construction



LX2153

10G HPPE staple/glass fibre/acrylic terry brushed liner with black sandy latex palm coating, double coating



- 10G HPPE/glass fibre liner provides cut resistance and increase hand protection.
- Heating acrylic terry fleeced liner is softer and warmer in cold environment.
- The latest sandy latex palm coating offers superior grip and abrasion resistance.
- Fully thumb coating provides better resistance to dirt and abrasion.

Applications:

- Cold Environment
- Glass Manufacturing
- Material Handling
- Refrigeratory Storage
- Lumbering



NXC8178Q


18G HPPE/steel/polyester liner with foam sandy nitrile palm coating, reinforcement at the thumb crotch



- 18G cut-resistant liner is flexible and provides excellent cut-resistance protection.
- The latest foam sandy nitrile coating offers good oil-repellency and slip resistance.
- Black coating is more dirt-resistant and durable.
- Reinforcement at thumb crotch can extend the life of usage.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry



LKX3150

13G HPPE/steel/glass fibre/polyester liner with fully smooth latex coating plus sandy latex coating with fully thumb coating



- Full latex double coating provides a superior grip in dry, wet and oily conditions,
- 13G HPPE/steel/glass fibre liner provides cut resistance and increase hand protection.
- Knit Wrist helps prevent dirt and debris from entering the glove
- Fully thumb coating provides better resistance to dirt and abrasion.
- Excellent resistance to liquid permeation

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Wood Working
- Glass Handling Operation
- Wet & Oily Environment



NXC3150

13G HPPE/steel/glass fibre/Hi Viz yellow polyester liner with black foam sandy nitrile palm coating

- High performance HPPE/steel/glass fiber liner offers A4 cut resistance while maintaining flexibility and dexterity.
- The latest foam sandy nitrile coating offers good oil-repellency and slip resistance.
- Black coating is more dirt-resistant and durable.
- Knit Wrist helps prevent dirt and debris from entering the glove.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Mechanical Assembly
- Automobile Industry
- Metal & Glass Manufacture



NXC8183

18G HPPE/steel/Hi Viz green polyester liner with black foam sandy nitrile palm coating

- 18G high performance HPPE/steel liner offers A4 cut resistance while maintaining flexibility and dexterity.
- The latest foam sandy nitrile coating offers good oil-repellency and slip resistance.
- Black coating surface hides dirt and grime .
- Knit Wrist helps prevent dirt and debris from entering the glove.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry



EN388:2016
4X42E



NXC3180Q

13G HPPE/steel/basalt liner with foam sandy nitrile palm coating, reinforcement at the thumb crotch

- 13G high performance HPPE/steel/basalt liner offers A5 cut resistance while maintaining flexibility and dexterity.
- The latest foam sandy nitrile coating offers good oil-repellency and slip resistance.
- Black coating is more dirt-resistant and durable.
- Reinforcement at thumb crotch can extend the life of usage.

Applications:

- General Maintenance
- Mechanical Assembly
- Transportation & Warehousing
- Automobile Industry
- Construction, Glass



EN388:2016
4X42E



NGX3180

13G HPPE/steel/basalt liner with 3/4 blue soomth nitrile coating plus foam sandy nitrile coating with fully thumb coating

- 13G high performance HPPE/steel/basalt liner offers A5 cut resistance while maintaining flexibility and dexterity.
- Double nitrile coating offers high oil repellency and good grip in dry, wet and oily conditions.
- Thumb fully coating allows greater resistance to dirt and abrasion.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry



EN388:2016
4X42F



NXC8171

18G HPPE/polyester/spandex liner with black foam sandy nitrile palm coating

- 18G high performance HPPE liner offers A6 cut resistance while maintaining flexibility and dexterity.
- The latest foam sandy nitrile coating offers good oil-repellency and slip resistance.
- Black coating is more dirt-resistant and durable.
- Knit Wrist helps prevent dirt and debris from entering the glove.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry



EN388:2016
4131X

NX506

15G grey nylon/spandex liner with sandy nitrile coating

- Sandy nitrile coating provides a superior grip in dry, wet and oily conditions.
- Seamless knit nylon/spandex shell offers increased comfort, finger dexterity and breathability.
- The liner color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.
- Excellent resistance to liquid permeation.
- Oil does not penetrate the glove like foam nitrile styles.

Applications:

- Automobile and aircraft maintenance
- Agriculture
- Gardening
- Aeronautics
- Light industry assembly line
- Transportation
- Plastics injection and moulding
- Electronics



EN388:2016
4X42E



NXC8179

18G HPPE/polyester/spandex liner with black foam sandy nitrile palm coating

- 18G high performance HPPE liner offers A5 cut resistance while maintaining flexibility and dexterity.
- The latest foam sandy nitrile coating offers good oil-repellency and slip resistance.
- Black coating is more dirt-resistant and durable.
- Knit Wrist helps prevent dirt and debris from entering the glove.

Applications:

- General Maintenance
- Mechanical Assembly
- Transportation & Warehousing
- Automobile Industry
- Construction, Glass



EN388:2016
4X42F



NXC3158Q

13G HPPE/steel/basalt liner with foam sandy nitrile palm coating, reinforcement at the thumb crotch

- 13G high performance HPPE/steel/basalt liner offers A6 cut resistance while maintaining flexibility and dexterity.
- The latest foam sandy nitrile coating offers good oil-repellency and slip resistance.
- Black coating is more dirt-resistant and durable.
- Reinforcement at thumb crotch can extend the life of usage.

Applications:

- General Maintenance
- Mechanical Assembly
- Transportation & Warehousing
- Automobile Industry
- Construction, Glass



EN388:2016
4131X

NXC506

15G nylon/spandex liner with black foam sandy nitrile palm coating

- Advanced foam sandy nitrile coating offers better oil-repellency, anti-slip and excellent abrasion resistance.
- Black coating offers better resistance to dirt.
- Knit cuffs are more comfortable and fit.

Applications:

- Automobile Industry
- Mechanical Processing
- Agriculture
- Transportation
- Electronics



EN388:2016
4131X

NGX506

15G gray nylon/spandex with 3/4 black smooth nitrile coating plus sandy nitrile coating on palm

- 3/4 nitrile sandy finish coating offers higher oil resistance and good grip in dry, wet and oily conditions.
- 15G seamless liner and ergonomic design provide a maximum comfort and minimum hand fatigue.
- The liner color can be customized.

Applications:

- Automotive
- Light industry assembly line
- Gardening
- General maintenance
- Transportation
- Oily material handling



NKX506

15G gray nylon/spandex with black smooth nitrile fully coating plus sandy nitrile coating on palm



- Fully nitrile sandy finish coating offers highest oil resistance and good grip in dry, wet and oily conditions.
- 15G seamless liner and ergonomic design provide a maximum comfort and minimum hand fatigue.
- The liner color can be customized.

Applications:

- Automotive
- Light industry assembly line
- Gardening general maintenance
- Transportation
- Oily material handling



NXC806

18G royal blue nylon/spandex with black palm nitrile sandy foam coating

- Single nitrile sandy foam palm coating offers light oil resistance, more comfort and good grip in dry and wet condition.
- 18G seamless liner and ergonomic design provide a maximum comfort and minimum hand fatigue and increase flexibility.
- The liner color can be customized.

Applications:

- Automotive
- Light industry assembly line
- Gardening
- General maintenance
- Transportation
- Oily material handling



LKX301

13G Orange nylon with orange latex smooth fully coated plus black sandy latex finish coated with thumb dipping

- Fully sandy latex finish coating offers more protection against water penetration and good grip in dry and wet conditions.
- 13G seamless nylon liner and ergonomic design assure maximum comfort and minimum hand fatigue.
- Liner color can be customized.

Applications:

- Gardening
- General maintenance
- Transportation
- Wood working



NKX301

13G blue nylon with black smooth nitrile fully coating plus sandy nitrile coating on palm

- Fully nitrile sandy finish coating offers highest oil resistance and good grip in dry, wet and oily conditions.
- 13G seamless liner and ergonomic design provide a maximum comfort and minimum hand fatigue.
- The liner color can be customized.

Applications:

- Automotive
- Light industry assembly line
- Gardening
- General maintenance
- Transportation
- Oily material handling



NKX806

18G gray nylon/spandex with gray smooth nitrile fully coating plus sandy nitrile coating on palm

- Fully nitrile sandy finish coating offers high oil resistance and good grip in dry, wet and oily conditions.
- 18G seamless liner and ergonomic design provide a maximum comfort and minimum hand fatigue and increase flexibility.
- The liner color can be customized.

Applications:

- Automotive
- Light industry assembly line
- Gardening
- General maintenance
- Transportation
- Oily material handling



LX012

10G gray polycotton liner with black sandy latex coating

- Double sandy latex coating offers more protection against water penetration and good grip in dry and wet conditions.
- 10G seamless liner offers excellent strength and durability.
- Liner color can be customized.

Applications:

- Gardening
- General maintenance
- Transportation
- Wood working



LX302

13G Hi Viz orange high elasticity nylon with black sandy latex coating

- Double sandy latex coating offers more protection against water penetration and good grip in dry and wet conditions.
- 13G high elasticity nylon increases comfort and flexibility and provides minimum hand fatigue.
- Liner color can be customized.


Applications:

- Gardening
- General maintenance
- Transportation
- Wood working



LX227

10G acrylic terry liner with sandy latex coating



- Sandy latex coating provides a superior grip in dry, wet and oily conditions, single coating more soft.
- Seamless knit fleeced acrylic loop shell offers increased comfort, finger dexterity and breathability, cold-resistant.
- The liner color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.
- Oil does not penetrate the glove like foam nitrile styles.


Applications:

- Material handling
- Glass handling operations
- Sanitation
- Slightly low temperature
- General maintenance
- Wood working
- Waste handling and recycling



LKX680

13G fleeced Hi Viz orange acrylic liner with smooth nitrile fully coating plus palm black sandy latex coating



- Sandy latex double coating provides a superior grip in dry, wet and oily conditions.
- 13g seamless knit fleeced acrylic shell offers increased comfort, finger dexterity and breathability, slightly cold-resistant.
- The liner color can be customized.
- Knit Wrist helps prevent dirt and debris from entering the glove.
- Excellent resistance to liquid permeation.
- Oil does not penetrate the glove.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- Slightly low temperature
- General maintenance
- Wood working
- Waste handling and recycling



LX304

13G polyester liner with sandy latex coating



- Sandy latex coating provides a superior grip in dry, wet and oily conditions, single coating more soft.
- Seamless knit nylon shell is a cheaper choice and breathability.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.
- Excellent resistance to liquid permeation.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Agriculture
- Aeronautics
- Transportation
- Electronics



LKX970

13G nylon+13G acrylic terry with orange latex fully coating plus black sandy latex coting on palm

- Fully latex sandy finish coating offers more protection against water penetration and good grip in dry and wet conditions.
- Double liners provide comfort and warmth.
- Liner color can be customized.

Applications:

- Refrigeration industry
- Outside work and entertainment under cold environment



NX301

13G royal blue nylon liner with black sandy nitrile palm coating, double coating

- 13G nylon liner minimizes finger fatigue and increases comfort.
- The latest sandy nitrile coating provides superior grip and is suitable for oily working environment.
- Double coating treatment offers more resistance to dirt and slip.
- Breathable back for comfort,Excellent resistance to liquid permeation.


Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Mechanical Assembly
- Gardening



LX680

13G fleeced Hi Viz yellow acrylic liner with palm black sandy latex coating



- Latex sandy coating provides a superior grip in dry, wet and oily conditions.
- 13g Seamless knit fleeced acrylic shell offers increased comfort, finger dexterity and breathability, slightly cold-resistant.
- The liner color can be customized.
- Knit Wrist helps prevent dirt and debris from entering the glove.
- Excellent resistance to liquid permeation.
- Oil does not penetrate the glove.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- Slightly low temperature
- General maintenance
- Wood working
- Waste handling and recycling





EN388:2016
4121X

NX501

15G nylon liner with sandy nitrile palm coating, double coating

- 15G nylon liner minimizes finger fatigue and increases comfort.
- The latest sandy nitrile coating provides superior grip and is suitable for oily working environment.
- Double coating treatment offers more resistance to dirt and slip.
- Breathable back for comfort, Excellent resistance to liquid permeation.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction
- Mechanical Assembly
- Gardening



EN388:2016
4131X


NKX501

15G nylon liner with blue smooth nitrile fully coating plus black sandy nitrile coating with fully thumb coating

- 15G nylon liner minimizes finger fatigue and increases comfort.
- The latest sandy nitrile coating provides superior grip and is suitable for oily working environment.
- Double coating treatment offers more resistance to dirt and slip.
- Breathable back for comfort, Excellent resistance to liquid permeation.

Applications

- General Maintenance
- Transportation & Warehousing
- Construction
- Mechanical Assembly
- Gardening



EN388:2016
4131X

NXC588

15G nylon liner with black foam sandy nitrile palm coating

- Advanced foam sandy nitrile coating offers better oil-repellency, anti-slip and excellent abrasion resistance.
- Black coating offers better resistance to dirt.
- Knit cuffs are more comfortable and fit.

Applications:

- Automobile Industry
- Mechanical Processing
- Agriculture
- Transportation
- Electronics



EN388:2016
4242X

EN511
X2X

NGX970

13G polyester+10G acrylic terry brushed liner with 3/4 black smooth nitrile coating plus black sandy nitrile coating with fully thumb coating

- Double liners provide more comfort and warmth.
- Double nitrile coating offers high oil repellency and good grip in dry, wet and oily conditions.
- Thumb fully coating allows greater resistance to dirt and abrasion.

Applications:


- Cold environment
- Agriculture and Forestry
- Logging Industry
- Refrigeratory Storage
- Garbage Disposal

CHEMICAL
RESISTANCE SERIES



CKX800

18G nylon liner with fully smooth nitrile coating and sandy nitrile coating with fully thumb coating



- 18G nylon liner provides excellent softness and light weight.
- Sandy nitrile coating on palm provides a superior grip in oily and wet environments.
- Good abrasion resistance and water-proof
- Fully nitrile coating provides more chemical protection.

Applications:

- Automobile Industry
- Transportation Oil
- Chemical
- Agriculture
- Piscatorial



CKX8162

18G cut-resistant liner with fully smooth nitrile coating and sandy nitrile coating with fully thumb coating



- 18G cut-resistant liner provides cut resistance and increase hand protection.
- Sandy nitrile coating on palm provides a superior grip in oily and wet environments.
- Good abrasion resistance and water-proof
- Fully nitrile coating provides more chemical protection.

Applications:

- Automobile Industry
- Transportation Oil
- Chemical
- Agriculture
- Piscatorial



IMPACT
SERIES

IMPACT SERIES



IMPACT SERIES



MC812

Synthetic palm reinforcements, PVC impact on back, neoprene cuff



- Synthetic leather palm improves abrasion resistance.
- EVA on palm is Anti-vibration.
- Spandex cloths on the back provide breathability and absorb sweat.
- PVC impact on the back offers more protection.
- Double-stitched thread provides durability and longevity.
- Neoprene cuff is more comfortable.
- Machine washable.

Applications:

- Shipbuilding industry
- Steel industry
- Metal handling
- Machining operation
- Construction



PE384SG

13G HPPE/glass fibre liner with white PU palm coated with sewing PVC impact on back, sewing leather on the thumb crotch



- Tough PU coating provides great grip and extended cut protect.
- HPPE/glass fibre offers high assurance and labor protection.
- PVC impact on glove back provides anticollision function.
- Liner color and impact pattern can be customized.

Applications:

- Glass handling operations
- General maintenance
- Sheet metal handling
- Sharp small parts handling
- Parts assembly
- Transportation & warehousing



NX371GZTK

13G HPPE spun yarn/glass fibre/polyester with black nitrile sandy finish palm coated with sewing EVA on palm, leather on fingers, PVC on the thumb crotch and velcro on the knitting wrist



- Double nitrile sandy finish palm coating offers high oil resistance and good grip in dry, wet and oily conditions.
- 13G HPPE spun yarn provides more comfort and absorbs sweat.
- EVA on the palm provides anti-vibration function.
- Leather on the fingers offers abrasion resistance and good grip.
- PVC patch on the thumb crotch improves abrasion resistance.
- Velcro on the knitting wrist improves fitting and protection.
- The liner color can be customized.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



WE043Z

10G Kevlar®/steel with sewing cow leather

- Kevlar® provides cut resistance, heat resistance and abrasion resistance.
- Cow leather improves abrasion resistance and puncture resistance.

Applications:

- Glass handling
- General maintenance
- Sharp small parts handling
- Transportation & warehousing
- Construction
- Wood working



NX3100W

13G HPPE/yellow polyester/glass with orange foam sandy nitrile coating with silicone impact on back

- High performance HPPE and glass fiber yarn provides excellent cut resistance while maintaining flexibility and dexterity.
- Sandy nitrile coated palm and fingertips help extend the life of the glove and provide excellent abrasion resistance.
- Silicone impact can be used warm and cold condition.
- Elasticity to silicone is better than TPR.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



MC818

Synthetic & silicone dots palm, HPPE inside, PVC impact on back, neoprene cuff



- Synthetic leather & silicone dots on the fingers and palm improve abrasion resistance and anti-slip.
- Spandex cloths on the back provide breathability and absorb sweat.
- HPPE inside increases cut resistance.
- PVC impact on the back provides more protection.
- Double-stitched thread provides durability and longevity.
- Neoprene cuff is more comfortable.
- Machine washable.

Applications:

- Shipbuilding industry
- Steel industry
- Metal handling
- Machining operation
- Construction



NJ3150SG

13G HPPE/steel/glass fiber/polyester liner with black micro foam nitrile coating with sewing PVC impact on glove back and leather on the thumb crotch

EN388:2016



4X42D



- 13G high performance HPPE/steel/glass fiber liner offers A4 cut resistance while maintaining flexibility and dexterity.
- Micro foam nitrile coating is compatible with light oil and provides good grip and excellent abrasion resistance.
- Thin PVC impact on glove back provides anticollision function and increases flexibility.
- Leather on the thumb crotch offers abrasion resistance and good grip.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & Warehousing
- Construction



NXC3180W

13G HPPE/steel/basalt liner with black foam sandy nitrile coating with glueing silicone impact on back

EN388:2016



4X42E



- High performance HPPE/steel/basalt liner provides A5 cut resistance while maintaining flexibility and dexterity
- Advanced foam sandy nitrile coating offers better oil-repellency ,anti-slip and excellent abrasion resistance.
- Silicone impact provides elasticity and can be used in warm and cold condition.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & Warehousing
- Construction



MN510

Synthetic palm reinforcements, Flexible 3 half fingers, velcro cuff

EN388:2016



2132X

- Anti-vibration protective palm.
- Velcro adjustable cuff.
- Double-stitched thread provides durability and longevity.
- Machine washable.

Applications:

- Fishery industry
- General maintenance
- Metal handling
- Parts assembly
- Construction



EN388:2016



2132XP

MN512

Synthetic palm reinforcements, PVC impact back, velcro cuff

- Anti-vibration protective palm
- Anti-impact protective back.
- Terry cloth on the thumb improves breathability.
- Velcro adjustable cuff.
- Double-stitched thread provides durability and longevity.
- Machine washable.

Applications:

- Climbing and riding
- General maintenance
- Metal handling
- Parts assembly
- Construction



EN388:2016



3121X

MN518

Synthetic palm, spandex cloth & neoprene on the back, neoprene & elastic band cuff

- Synthetic leather on the fingers improves abrasion resistance.
- Spandex cloths on the back provide breathability and absorb sweat.
- Terry cloth on the thumb improves breathability.
- Blue silicone print on palm increases anti-slip.
- Neoprene cuff is more comfortable.
- Machine washable.

Applications:

- Light industry
- General maintenance
- Metal handling
- Parts assembly
- Construction



MN516

Synthetic palm, spandex cloth & mesh fabric on the back, neoprene cuff

EN388:2016



3131X

- Synthetic leather on the fingers and palm improves abrasion resistance.
- Spandex cloths on the back provide breathability and absorb sweat.
- Mesh fabric on the back improves breathability.
- Double-stitched thread provides durability and longevity.
- Neoprene cuff is more comfortable.
- Machine washable.

Applications:

- Light industry
- General maintenance
- Metal handling
- Parts assembly
- Construction





DYNEEMA® PRODUCT



PE331

13G Dyneema® (SK62) fiber
with white PU coating



- Unmatched combination of comfort, softness, coolness & cut protection.
- Excellent fingertip sensitivity with superior comfort.

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing



NJE814

18G 3G12-220DTEX Dyneema® Diamond
Technology fiber with black micro foam
nitrile palm coating



- 18G Dyneema® Diamond blended liner is flexible and provides excellent cut-resistance protection.
- Seamless construction offers increased comfort and breathability.
- Lightweight glove with ISO cut level B protection.
- Ultra thin micro foam nitrile coating has the good oil-repellency and slip resistance advantage, which bring users a feeling of more comfort and flexibility.

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing



PE877D

18G 3G12-220DTEX Dyneema® Diamond
Technology fiber with black PU coating,
screen-touch



- Lightweight glove with EN Level 3 cut protection.
- Excellent fingertip sensitivity with superior comfort.

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing

DYNEEMA®
PRODUCT





NJ877

18G 3G12-220DTEX Dyneema® Diamond Technology fiber with black micro foam nitrile coating, screen-touch



- Lightweight glove with EN Level 3 cut protection.
- Micro foam nitrile coating offers absolutely breathability.
- Micro foam coating are compatible with oil and will provide good grip and excellent abrasion resistance.

Applications:

- Applying finish to materials, products
- Assembly & inspection of components
- Delivery of parts to production line
- Final assembly
- Handling incoming goods



NR877

18G 3G12-220DTEX Dyneema® Diamond Technology fiber with black micro foam nitrile coating, screen-touch



- Lightweight glove with ISO cut level B protection.
- Micro foam nitrile coating offers absolutely breathability.
- Micro foam coating are compatible with oil and will provide good grip and excellent abrasion resistance.
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling.

Applications:

- Applying finish to materials, products
- Assembly & inspection of components
- Delivery of parts to production line
- Final assembly
- Handling incoming goods



NXC814

18G 3G12-220DTEX Dyneema® Diamond Technology fiber with black foam sandy nitrile coating



- Lightweight glove with ISO cut level B protection.
- Single foam nitrile sandy foam palm coating offers light oil resistance, more comfort and good grip in dry and wet condition.

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing



PE579D

15G 3G12-440DTEX Dyneema® Diamond Technology fiber with black PU coating, screen-touch

- Unmatched combination of comfort, softness, coolness & cut protection.
- Excellent fingertip sensitivity with superior comfort.

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing



NJE379D

13G 3G12-440DTEX Dyneema® Diamond Technology fiber with black micro foam nitrile coating, screen-touch

- Unmatched combination of comfort, softness, coolness & cut protection.
- Micro foam nitrile coating offers absolutely breathability.
- Micro foam coating are compatible with oil and will provide good grip and excellent abrasion resistance.

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing



PE391D

13G 3G12-440DTEX Dyneema® Diamond Technology fiber with black micro foam nitrile coating, screen-touch



- High flexibility, strong cut resistance.
- Excellent fingertip sensitivity with superior comfort.

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing



NJE391Q

13G 3G12-725DTEX Dyneema® Diamond Technology fiber with black foam nitrile coating, reinforcement at the thumb crotch



- High flexibility, strong cut resistance
- Reinforcement at the thumb crotch can extend the life of uage

Applications:

- Applying finish to materials, products
- Assembly & inspection of components
- Delivery of parts to production line
- Final assembly
- Handling incoming goods



NJE391SG

13G 3G12-725DTEX Dyneema® Diamond Technology fiber with black micro foam nitrile coating, impact on back



- High flexibility, strong cut resistance.
- Advanced bumper design providing impact resistance.

Applications:

- Handling jagged metal
- Drilling assembly and completion
- Engagement and release of drillstring slips



NXC392

13G 3G12-725DTEX Dyneema® Diamond Technology fiber with black foam sandy nitrile coating



- Dyneema® Diamond blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance.
- Seamless construction offers increased comfort and breathability.
- Royal blue colour is easy to see.
- Single foam nitrile sandy foam palm coating offers light oil resistance, more comfort and good grip in dry and wet condition.

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing



NXC391

13G 3G12-725DTEX Dyneema® Diamond Technology fiber with black foam sandy nitrile palm coating



- Lightweight glove with ISO cut level D protection.
- Seamless construction offers increased comfort and breathability.
- Foam sandy nitrile coating offers light oil resistance, more comfort and good grip in dry and wet condition.

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing



NXC3130

13G Dyneema® (SK62) fiber with blue polyester U-2 knitted with black sandy foam nitrile coating



- SK62 knitted shell offers increased comfort and breathability.
- Single foam nitrile sandy foam palm coating offers light oil resistance, more comfort and good grip in dry and wet condition.

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing



KEVLAR® PRODUCT



EN388:2016
4X42B

EN407
X1XXXX

ANSI CUT
A2

PE350

13G HPPE/Kevlar®
fiber liner with PU
coating



EN388:2016
4X42B

EN407
X1XXXX

ANSI CUT
A2

ND340

13G Kevlar®
liner with foam
nitrile coating

- High Performance Polyethylene (HPPE) and Kevlar® yarn provides excellent cut resistance while maintaining flexibility and dexterity.
- Polyurethane coating will stretch with the hand, provide good grip and is form-fitting to reduce hand fatigue and increase worker comfort and productivity.
- Excellent pricing allows you to keep your workers safe while reducing costs.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Glass manufacturing
- Aeronautics
- Plastics injection and moulding
- Electronics
- Glass cutting
- Sheet metal handling
- Parts assembly
- Sharp small parts handling
- Construction and other general duty applications

- 13g seamless knit construction protects hands with comfort and dexterity.
- Kevlar® fiber shell provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity.
- Foam nitrile coated palm and fingertips provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Glass handling operations
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



PE5125

15g Kevlar® & lycra fiber shell
with PU coating

EN388:2016
4X31B

EN407
X1XXXX

ANSI CUT
A2

- Seamless knit construction provides comfort without sacrificing dexterity.
- Kevlar® & lycra fiber shell provides high tensile strength.
- Polyurethane coated palm and fingertips for great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Material handling
- Glass handling operations
- General maintenance
- Woodworking and waste
- Handling & recycling



KEVLAR® PRODUCT





EN388:2016
2X42B
EN407
X1XXXX
ANSI CUT
A2

LA340

13G Kevlar® liner
with latex coating

- 13g seamless knit construction protects hands with comfort and dexterity.
- Kevlar® fiber shell provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Glass handling operations
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



EN388:2016
3X44B
EN407
X2XXXX
ANSI CUT
A2

LA040

10G Kevlar® liner
with latex coating

- Seamless knit construction protects hands with comfort and dexterity.
- Kevlar® fiber shell provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- ConstructionSheet metal handling



EN388:2016
4X42B
ANSI CUT
A2

NX340

13G Kevlar® Engineer
liner with black sandy
nitrile palm coating

- 13g Seamless knit construction protects hands with comfort and dexterity
- Kevlar® fiber liner provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity
- Sandy nitrile coating provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove
- Washable for extended life and to reduce replacement costs

Applications:

- Glass handling operations
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & Warehousing
- Construction



H340

Kevlar® sleeve

EN388:2016
1X32B
EN407
X1XXXX
ANSI CUT
A2

- 100% Kevlar® fiber liner is breathable and comfortable with excellent cut protection on arm and wrist
- Cuffs with thumb bend protect the wrist.
- Adjustable Velcro cuffs are easy and comfortable to wear.
- Used independently or as protective liner for other sleeves.

Applications:

- Mechanical Operation
- Metal & Glass Handling
- Construction Site
- Automobile Industry
- Metal Sheet Processing
- White Home Appliances



EN388:2016
3X43B
EN407
X2XXXX
ANSI CUT
A2

LN040

10G kevlar® liner
with smart grip
latex coating

- Seamless knit construction protects hands with comfort and dexterity.
- Kevlar® fiber shell provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity.
- Special latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



EN388:2016
3X44C
EN407
X2XXXX
ANSI CUT
A3

LB040

10G Kevlar® liner
with latex coating

- Seamless knit construction protects hands with comfort and dexterity.
- Kevlar® fiber shell provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Full thumb coating provide a extra protection.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



EN388:2016
3X43B
EN407
X1XXXX
ANSI CUT
A2

NX321

13 Kevlar® clean liner
with black sandy
nitrile palm coating

- Supergrip nitrile sandy coating provides a superior grip in dry, wet and oily conditions, soft and dexterity.
- 13 Kevlar® clean shell offers increased comfort, finger dexterity and breathability, high assurance and cut resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.
- Excellent resistance to liquid permeation.
- Oil does not penetrate the glove like foam nitrile styles.

Applications:

- Precision instrument assembly
- Electronics industry
- Glass manufacturing
- Aeronautics
- Plastics injection and molding
- Sheet metal handling
- Oil and gas industry
- Sharp small parts handling
- Automobile and aircraft maintenance



EN388:2016
4X42C
EN407
X1XXXX
ANSI CUT
A3

NJE342

13g green
Kevlar® liner with
foam nitrile coating

- 13G Kevlar® green liner provides excellent cut resistance while maintaining flexibility and dexterity.
- Foam nitrile coating provide good oil grip and super abrasion resistance with thinnest coating technology.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Ultra thin knitting provide super dexterity.
- Washable and breathable.
- Plated knitting provide cooling and strong adherence with coating material.

Applications:

- Precision instrument assembly
- Electronics industry
- Glass manufacturing
- Aeronautics
- Plastics injection and molding
- Sheet metal handling
- Parts assembly
- Sharp small parts handling
- Automobile and aircraft maintenance



NXC8106

18G Kevlar® engineered liner with black foam sandy nitrile palm coating



- Supergrip nitrile foam sandy coating provides a superior grip in dry, wet and oily conditions, soft and dexterity.
- Kevlar® shell offers increased comfort, finger dexterity and breathability, high assurance and cut resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.

Applications:

- Precision instrument assembly
- Electronics industry
- Glass manufacturing
- Aeronautics
- Plastics injection and molding
- Sheet metal handling
- Oil and gas Industry
- Sharp small parts handling
- Automobile and aircraft maintenance



NXC3105

13G Kevlar® engineered liner with black micro foam sandy nitrile palm coating



- 13G Kevlar® engineer liner provides excellent cut resistance while maintaining flexibility and dexterity.
- Supergrip foam sandy nitrile coating provides a superior grip in dry, wet and oily conditions, soft and dexterity.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.
- Excellent resistance to liquid permeation.

Applications:

- Precision instrument assembly
- Electronics industry
- Glass manufacturing
- Aeronautics
- Plastics injection and molding
- Sheet metal handling
- Oil and Gas Industry
- Sharp small parts handling
- Automobile and aircraft maintenance



LN061

10g Kevlar®/steel liner with smart grip latex coating



- Kevlar® steel technology provides excellent cut resistance while maintaining flexibility and dexterity.
- 10g seamless knit construction protects hands with comfort and dexterity.
- Special latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Glass manufacturing
- Aeronautics
- Plastics injection and molding
- Sheet metal handling
- Parts assembly
- Sharp small parts handling
- Automobile and aircraft maintenance



LN0104


10G Kevlar® engineered liner smart grip black latex palm coating



- Kevlar® engineer technology provides excellent cut resistance while maintaining flexibility and dexterity.
- The liner and coating color can be customized.
- 10g seamless knit construction protects hands with comfort and dexterity.
- Special latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers superior abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Glass manufacturing
- Aeronautics
- Plastics injection and molding
- Sheet metal handling
- Parts assembly
- Sharp small parts handling
- Automobile and aircraft maintenance



NJE8106

18G Kevlar® engineered liner with black foam nitrile palm coating

- 18G Kevlar® engineer liner provides excellent cut resistance while maintaining flexibility and dexterity.
- Foam nitrile coating provide good oil grip and super abrasion resistance with thinnest coating technology.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Ultra thin knitting provide super dexterity.
- Washable and breathable.
- Plated knitting provide cooling and strong adherence with coating material.

Applications:

- Precision instrument assembly
- Electronics industry
- Glass manufacturing
- Aeronautics
- Plastics injection and molding
- Sheet metal handling
- Parts assembly
- Sharp small parts handling
- Automobile and aircraft maintenance



NJE3103

13G Kevlar® engineered liner with black foam nitrile palm coating

- 13G Kevlar® engineer liner provides excellent cut resistance while maintaining flexibility and dexterity.
- Foam nitrile coating provide good Oil grip and super abrasion resistance with thinnest coating technology.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Ultra thin knitting provide super dexterity.
- Washable and breathable.
- Plated Knitting provide cooling and strong adherence with coating material.

Applications:

- Precision instrument assembly
- Electronics industry
- Glass manufacturing
- Aeronautics
- Plastics injection and molding
- Sheet metal handling
- Parts assembly
- Sharp small parts handling
- Automobile and aircraft maintenance



LATEX COATED GLOVE SERIES

LATEX COATED GLOVE SERIES



LA011

10G polyester liner with latex coating

EN388:2016
2142X

- Seamless knit construction protects hands with comfort and dexterity.
- Polyester yarn is a economic and slightly cold –resistant product.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Waste handling and recycling



LB011

10G polyester liner with latex coating thumb dipping

EN388:2016
2142X

- Seamless knit construction protects hands with comfort and dexterity
- Polyester yarn is a economic and slightly cold –resistant product.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Waste handling and recycling



LB012

10G polycotton liner with latex coating

EN388:2016
2142X

- Seamless knit construction protects hands with comfort and dexterity.
- Polycotton yarn is a economic and slightly cold –resistant product.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Waste handling and recycling

LATEX COATED GLOVE SERIES




LA111

10G fleeced polyester liner with latex coating

- Seamless knit construction protects hands with comfort and dexterity.
- Polyester yarn is a economic and slightly cold-resistant product.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Waste handling and recycling




LB227

10G acrylic terry liner with latex coating thumb dipping

- Seamless knit construction protects hands with comfort and dexterity.
- Fleece acrylic loop yarn offer cold-resistant product but more soft.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers super abrasion resistance.
- Hi Viz liner more discernible and black coating surface hides dirt and grime.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- General maintenance
- Wood working
- Waste handling and recycling



LF227


10G acrylic terry liner with foam latex coating

- Seamless knit construction protects hands with comfort and dexterity.
- Fleece acrylic loop yarn offer cold-resistant product but more soft.
- Latex foam coated palm and fingertips provides superior grip in dry conditions and offers super abrasion resistance,more breathable.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- Cold environment
- Ggeneral maintenance
- Wood working
- Waste handling and recycling

LATEX COATED GLOVE SERIES



LB718

7G Hi Viz acrylic terry liner with latex coating thumb dipping

- Seamless knit construction protects hands with comfort and dexterity.
- Fleece acrylic loop yarn offer cold-resistant product but more soft.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers super abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- Cold environment
- General maintenance
- Wood working
- Waste handling and recycling



LA312

13G polycotton liner with latex coating

- 13g seamless knit construction protects hands with comfort and dexterity.
- Polycotton yarn is a economic and slightly cold-resistant product.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Aeronautics
- Electronics



LC682

13G fleeced acrylic/spandex knitted liner with foam latex coating

- Seamless knit construction protects hands with comfort and dexterity.
- 13g Fleece acrylic yarn more soft.
- The liner color can be customized.
- Latex foam coated palm and fingertips provides superior grip in dry conditions and offers super abrasion resistance,more breathable.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Material handling
- Glass handling operations
- Sanitation
- Slightly low temperature
- Ggeneral maintenance
- Wood working
- Waste handling and recycling



LATEX COATED GLOVE SERIES



LA302

13G dyeing nylon liner with latex coating



- Seamless knit nylon shell offers increased comfort, finger dexterity and breathability
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance.
- The liner color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Aeronautics
- Electronics



LA304

13G polyester liner with latex coating

- Seamless knit polyester shell is a cheaper choice.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance.
- The liner color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Transportation
- Agriculture
- Aeronautics
- Plastics injection and moulding
- Electronics



LA576

15G nylon/spandex liner with latex coating

- Seamless knit nylon/spandex shell offers increased comfort, finger dexterity and breathability.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance.
- The liner color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Aeronautics
- Electronics

LATEX COATED GLOVE SERIES



LC336

13G bamboo fiber/spandex with latex coating



- A blend of natural bamboo fiber with nylon shell creates coolness.
- Seamless liner features exceptional comfort and flexibility.
- Latex crinkle provides great grip performance and abrasion resistance.
- Dark costing hides dirt and grime.

Applications:

- Gardening
- Light industry
- Plastic injection and moulding
- Transportation



LH500

15G nylon liner with 3/4 latex coating



- Seamless knit nylon shell offers increased comfort, finger dexterity.
- Latex crinkle coated palm and fingertips superior grip in wet/dry condition and offers abrasion resistance.
- 3/4 coating offers extended protection.
- Knit wrist help prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Gardening
- Light industry
- Plastic injection and moulding
- Transportation



LH011

10G polyester liner with 3/4 latex coating



- Seamless knit polyester shell is a cheaper choice.
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance.
- The liner and coating color can be customized.
- 3/4 coating offers extended protection.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Aeronautics
- Electronics



NBR COATED GLOVE SERIES



NBR COATED GLOVE SERIES



NE352

13G HPPE Cut 5 liner with smooth nitrile coating



- High Performance Polyethylene (HPPE) and glass fiber yarn provides excellent cut resistance while maintaining flexibility and dexterity.
- Smooth nitrile coating provide super grip and comfort in a dry condition
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Glass handling operations
- General maintenance
- Wood working
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Transportation & warehousing
- Construction



NC302

13G blue nylon liner with grey breathable foam nitrile coating



- Seamless knit nylon shell offers increased comfort, finger dexterity and breathability.
- Breathable foam nitrile coating provide super grip and comfort.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Electronics



ND300

13G nylon liner with foam nitrile coating



- Seamless knit nylon shell offers increased comfort, finger dexterity.
- Foam nitrile coating provide super grip and comfort, water-resistant.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Transportation
- Agriculture
- Plastics injection and moulding
- Electronics

NBR COATED GLOVE SERIES



NE302

13G dyeing nylon liner with smooth nitrile coating

- Seamless knit nylon shell offers increased comfort, finger dexterity.
- Smooth nitrile coating provide super grip and comfort in a dry condition.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Transportation
- Agriculture
- Plastics injection and moulding
- Electronics



NE300

13G nylon liner with smooth nitrile coating

- Seamless knit nylon shell offers increased comfort, finger dexterity
- Smooth nitrile coating provide super grip and comfort in a dry condition
- The liner and coating color can be customized
- Knit wrist helps prevent dirt and debris from entering the glove
- Washable for extended life and to reduce replacement costs

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Transportation
- Agriculture
- Plastics injection and moulding
- Electronics



NBR COATED GLOVE SERIES



NE304

13G blue polyester liner with smooth nitrile coating

- Seamless knit polyester shell offers increased comfort, finger dexterity and breathability but cheaper products.
- Smooth nitrile coating provide super grip and comfort in a dry condition.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Electronics



NE325

13G dimple polyester liner with smooth nitrile coating

- Seamless knit polyester shell offers increased comfort, finger dexterity but cheaper products.
- Dimple liner with smooth nitrile coating provide enhanced grip and comfort in a dry condition.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Washable for extended life and to reduce replacement costs.

Applications:

- Automobile and aircraft maintenance
- Gardening
- Light industry assembly line
- Plastics injection and moulding
- Transportation
- Agriculture
- Aeronautics
- Electronics



NG423A

Cotton jersey liner safety cuff with 3/4 blue nitrile coating

- Jersey knit liner with safety cuff.
- Heavy nitrile coating offers great grip performance.
- 3/4 nitrile coating brings extended protection.
- The coating can be customized.
- Excellent puncture and tear resistance.

Applications:

- Glass handling operations
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Construction



NBR COATED GLOVE SERIES



EN388:2016
4122X

NK423A

Cotton jersey liner safety cuff with full blue nitrile coating

- Jersey knit liner with safety cuff.
- Heavy nitrile coating offers great grip performance.
- Full nitrile coating provides completed protection.
- The coating can be customized.
- Excellent puncture and tear resistance.

- Glass handling operations
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Construction



EN388:2016
4122X

NG424A

Cotton jersey liner knit cuff with 3/4 blue nitrile coating

- Jersey knit liner with knit cuff.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Heavy nitrile coating offers great grip performance.
- 3/4 nitrile coating brings extended protection.
- The coating can be customized.
- Excellent puncture and tear resistance.

Applications:

- Glass handling operations
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Construction



EN388:2016
4122X

NK424A

Cotton jersey liner knit cuff with full blue nitrile coating

- Cotton jersey knit liner with knit cuff.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Heavy nitrile coating offers great grip performance.
- Full nitrile coating provides completed protection.
- The coating can be customized.
- Excellent puncture and tear resistance.

Applications:

- Glass handling operations
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Construction



EN388:2016
3111X

NG422

Interlock liner with 3/4 yellow nitrile coating

- Interlock knit liner with knit cuff.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Heavy nitrile coating offers great grip performance.
- 3/4 nitrile coating brings extended protection.
- The coating can be customized.
- Excellent puncture and tear resistance.

Applications:

- Glass handling operations
- Sheet metal handling
- Sharp small parts handling
- Waste handling and recycling
- Construction



PU COATED GLOVE SERIES



PU COATED GLOVE SERIES



PU COATED GLOVE SERIES



PE3145

13G HPPE/glass fibre liner with grey PU palm coating

- 13G cut-resistant liner provides excellent cut resistance while maintaining flexibility and dexterity.
- Ultra-thin and durable PU coating offers superior slip and abrasion resistance.
- Excellent abrasion resistance makes gloves more durable.

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry



PE319

13G Aramid/glass fiber liner with PU coating

- Aramid and glass fiber yarn provides excellent cut resistance while maintaining flexibility and dexterity.
- Polyurethane coating will stretch with the hand, provide good grip and is form-fitting to reduce hand fatigue and increase worker comfort and productivity.
- Excellent pricing allows you to keep your workers safe while reducing costs.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Glass manufacturing
- Aeronautics
- Plastics injection and moulding
- Electronics
- Glass cutting
- Sheet metal handling
- Parts assembly
- Sharp small parts handling
- Construction and other general duty applications



PE387

13G high tenacity nylon/glass fiber with PU coating

- Hi-Strength tenacity nylon and glass fiber yarn provides excellent cut resistance while maintaining flexibility and dexterity
- Polyurethane coating will stretch with the hand, provide good grip .
- Excellent price allows you to keep your workers safe while reducing costs
- Knit wrist helps prevent dirt and debris from entering the glove .

Applications:

- Assembly & inspection of components
- Handling metal sheets & panels
- Metalwork, glass processing



PE3159

13G CHINEEMA/glass fibre/steel liner with grey PU palm coating

- High Performance CHINEEMA/glass fibre/steel liner provides A4 cut resistance while maintaining flexibility and dexterity
- Ultra-thin and durable PU coating offers superior slip and abrasion resistance.
- Excellent abrasion resistance makes gloves more durable.
- Knit Wrist helps prevent dirt and debris from entering the glove

Applications:

- General Maintenance
- Transportation & Warehousing
- Construction, Glass
- Mechanical Assembly
- Automobile Industry



PE352

13G HPPE/glass fiber liner with PU coating

- High Performance Polyethylene (HPPE) and glass fiber yarn provides excellent cut resistance while maintaining flexibility and dexterity.
- Polyurethane coating will stretch with the hand, provide good grip and is form-fitting to reduce hand fatigue and increase worker comfort and productivity.
- Excellent pricing allows you to keep your workers safe while reducing costs.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Glass manufacturing
- Aeronautics
- Plastics injection and moulding
- Electronics
- Glass cutting
- Sheet metal handling
- Parts assembly
- Sharp small parts handling
- Construction and other general duty applications



PE384

13G cut-resistant liner with PU coating

- High Performance Polyethylene (HPPE) and glass fiber yarn provides excellent cut resistance while maintaining flexibility and dexterity.
- Polyurethane coating will stretch with the hand, provide good grip and is form-fitting to reduce hand fatigue and increase worker comfort and productivity.
- Excellent pricing allows you to keep your workers safe while reducing costs.
- Knit wrist helps prevent dirt and debris from entering the glove.

Applications:

- Glass manufacturing
- Aeronautics
- Plastics injection and moulding
- Electronics
- Glass cutting
- Sheet metal handling
- Parts assembly
- Sharp small parts handling
- Construction and other general duty applications



PE300

13G white nylon liner with white PU coating

- Seamless knit nylon shell offers increased comfort, finger dexterity and breathability.
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.

Applications:

- Agriculture
- Aeronautics
- Gardening
- Electronics
- Glass cutting
- Parts assembly
- Construction and other general duty applications



PU COATED GLOVE SERIES



PE301

13G blue nylon
liner with white
PU palm coating

- Seamless knit nylon liner offers increased comfort, finger dexterity and breathability
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity
- Knit Wrist helps prevent dirt and debris from entering the glove
- Breathable back for comfort

Applications:

- Agriculture
- Aeronautics
- Gardening
- Electronics
- Glass cutting
- Parts assembly
- Construction and other general duty applications



PE304

13G black
polyester liner
with black
PU coating

- Seamless knit polyester shell offers comfort, finger dexterity and breathability.
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.

Applications:

- Agriculture
- Aeronautics
- Plastics injection and moulding
- Electronics
- Glass cutting
- Parts assembly
- Construction and other general duty applications



PE303

13G white polyester
liner with white
PU coating

- Seamless knit polyester shell offers comfort, finger dexterity and breathability.
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.

Applications

- Agriculture
- Aeronautics
- Plastics injection and moulding
- Electronics
- Glass cutting
- Parts assembly
- Construction and other general duty applications



PE500

15G white nylon
liner with white
PU coating

- 15g seamless knit nylon shell offers perfectly comfort, finger dexterity and breathability.
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.

Applications:

- Glass manufacturing
- Aeronautics
- Plastics injection and moulding
- Electronics
- Glass cutting
- Parts assembly
- Construction and other general duty applications

PU COATED GLOVE SERIES



PE576

15G grey nylon
liner with black
PU coating

- 15g seamless knit nylon/spandex shell offers perfectly comfort, finger dexterity and breathability.
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.

Applications:

- Agriculture
- Aeronautics
- Plastics injection and moulding
- Electronics
- Glass cutting
- Parts assembly
- Construction and other general duty applications



PE802

18G dyeing nylon
with PU coating

- 18g ultrathin seamless knit nylon shell offers perfectly comfort, finger dexterity and breathability, soft like without any wear.
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.

Applications:

- Precision instrument assembly
- Electrical engines, wire harness assembly
- Adjusters work
- White goods and electrical goods
- Packing stage
- Picking and fitting small pieces



PE806

18G royal blue nylon/spandex with black PU palm coating

- 18G Seamless knit nylon/spandex liner offers increased comfort, finger dexterity and breathability.
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity
- Knit Wrist helps prevent dirt and debris from entering the glove
- Breathable back for comfort

Applications:

- Automotive
- Light industry assembly line
- Gardening
- General maintenance
- Transportation
- Oily material handling

PU COATED GLOVE SERIES



PE309

13G carbon liner with white PU coating

EN388:2016




4131X

- Seamless knit nylon and carbon shell offers increased comfort, finger dexterity and breathability, anti-static.
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable back for comfort.

Applications:

- Precision instrument assembly
- Electronics industry
- Printing
- Product Inspection



EN388:2016



113XX

PM309

13G carbon liner with white PU finger tip coating

- Seamless knit nylon and carbon shell offers increased comfort, finger dexterity and breathability, anti-static.
- Polyurethane (PU) coatings only on finger offering excellent tactile sensitivity.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable for comfort.

Applications:

- Precision instrument assembly
- Electronics industry
- Printing
- Product Inspection



EN388:2016



113XX

PM300

13G white nylon liner with white PU finger tip coating

- Seamless knit nylon shell offers increased comfort, finger dexterity and breathability.
- Polyurethane (PU) coatings only on finger offering excellent tactile sensitivity.
- The liner and coating color can be customized.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Breathable for comfort.

Applications:

- Agriculture
- Electronics
- Parts assembly
- Plastics injection and moulding
- Construction and other General duty applications

